
(19)



**Canadian
Intellectual Property
Office**

An Agency of
Industry Canada

**Office de la Propriété
Intellectuelle
du Canada**

Un organisme
d'industrie Canada

(11)

CA 805618 (13) **A**

(40)

04.02.1969

(12)

(21) Application number: **805618D**

(51) Int. Cl:

(22) Date of filing: ..

(71) Applicant:

DOW CHEMICAL CO.

(72) Inventor:

WHITE HALBERT C ().

(54) **NUTRITIONALLY IMPROVED CEREAL PRODUCTS**

(57) **Abstract:**

This First Page has been artificially created and is not part of the CIPO Official Publication

This invention concerns the fortification of lysine-deficient cereals and foodstuffs derived therefrom with a new and novel lysine salt which is completely assimilable by the human organism. More particularly, it concerns cereal-containing foodstuffs and cereal flour fortified with a nutritionally significant amount of the new and novel L-lysine salt, L-lysine·H₃PO₄.

It is well known that cereals are deficient in the essential amino acid, L-lysine. It is also well known to fortify lysine-deficient foodstuffs with lysine and its conventional salts. In proportions having nutritional significance, i.e., between about 0.1 and 1.0 weight percent, unfortified cereal basis, conventional salts are difficult to handle because of their hygroscopicity, or give rise to an undesirably bitter flavor or decrease loaf volume of baked goods or cause excessive and objectionable browning of baked goods.

It has now been found that L-lysine·H₃PO₄ overcomes the disadvantages of prior art L-lysine salts in that (1) cereals and foodstuffs derived therefrom fortified with L-lysine·H₃PO₄ in the indicated amounts are not objectionably bitter; (2) L-lysine·H₃PO₄ is relatively non-hygroscopic and is, therefore, more easily handled than other salts, e.g., L-lysine·HCl; (3) nutritionally significant amounts of L-lysine·H₃PO₄ can be added to bread dough without causing an undesirable decrease in baked loaf volume; and (4) the addition of nutritionally significant amounts of L-lysine·H₃PO₄ to doughs does not cause an objectionably dark browning on baking.

L-lysine·H₃PO₄ can be prepared by reacting a mixture of substantially equimolar proportions of L-lysine and H₃PO₄, i.e., from about 1 to about 1.1 moles of phosphoric acid per



mole of L-lysine, advantageously as concentrated phosphoric acid, in an aqueous reaction medium and precipitating the formed L-lysine. \cdot H₃PO₄ at room temperature with a water-miscible organic liquid precipitant, i.e., any lower monohydric alcohol or acetone, in amount sufficient to precipitate said salt, preferably with added methanol to provide at least about 50 volume percent of methanol. Any reaction temperature between the freezing point of water and the boiling point of the precipitant can be employed. The resulting precipitated L-lysine. \cdot H₃PO₄ is separated from the reaction medium and is washed with methanol or other precipitant.

At a relative humidity less than 80 percent, L-lysine. \cdot H₃PO₄ is essentially non-hygroscopic, since it gains only up to 0.2 percent of its anhydrous weight on 120 hours' exposure to air at relative humidities up to 80 percent. In contrast thereto, L-lysine. \cdot HCl is essentially non-hygroscopic only at a relative humidity below about 57 percent. As a result of their greater hygroscopicity, L-lysine. \cdot HCl and other hygroscopic L-lysine salts are not easily used as a means of supplementation of cereals such as wheat, corn, rice, barley and oats, especially in flour form, and foodstuffs containing them.

In practice, the L-lysine. \cdot H₃PO₄ is added with mixing at any convenient stage in the preparation of the cereal-containing foodstuff.

The following examples further illustrate the invention.

Example 1

Two loaves of sponge dough process white bread were baked from the same dough, except that to one was added L-lysine. \cdot HCl and to the other was added L-lysine. \cdot H₃PO₄, each at

a level of 2 grams of lysine salt per pound of bread, equivalent to 0.44 weight percent, bread basis. A visual diminution in loaf volume was evident with the L-lysine·HCl fortified bread, but not with the L-lysine·H₃PO₄ fortified bread.

5 Example 2

L-lysine salts, as indicated below, were incorporated at the re-mix stage of preparation of sponge dough process bread to the extent of 0.25 weight percent, with observations as noted below.

10

<u>Loaf No.</u>	<u>L-Lysine Salt</u>	<u>Crust Color</u>
1	Control	normal brown
2	L-lysine·H ₃ PO ₄	do.
3	(L-lysine) ₂ ·tartrate	considerably darker
15 4	(L-lysine) ₃ ·citrate	do.
5	L-lysine·sorbate	do.
6	L-lysine·HCl	do.

15

Loaf No. 6 was extremely bitter in taste. Loaf No. 20 2 had no objectionable bitterness compared with the control. Loaf No. 2 was most acceptable from the standpoint of crust color. Loaves 3, 4 and 5 would not be acceptable because of excessive crust coloration.

25

805618

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. In a cereal-containing foodstuff suitable for preparing baked products, the addition of from 0.1 to 1.0 weight percent of L-lysine.H₃PO₄, cereal basis.

2. In a cereal flour, the addition of from 0.1 to 1.0 weight percent of L-lysine.H₃PO₄, flour basis.

3. A baked cereal-containing foodstuff normally deficient in lysine fortified with from 0.1 to 10 weight percent L-lysine.H₃PO₄, cereal basis.

-4-

